A. M. A.
ARCHIVES OF
DERMATOLOGY AND SYPHILOLOGY

EDITORIAL BOARD

PAUL A. O'LEARY, Chief Editor
102 Second Avenue S. W., Rochester, Minn.

HERBERT RATTNER, Associate Editor, Chicago

HAROLD N. COLE, Cleveland
FRED D. WEIDMAN, Philadelphia
H. E. MICHELSON, Minneapolis
A. C. CIPOLLARO, New York
J. LAMAR CALLAWAY, Durham, N. C.

RICHARD J. PLUNKETT, M.D., Chicago, Managing Editor

VOLUME 64
1951

PUBLISHERS
AMERICAN MEDICAL ASSOCIATION
CHICAGO 10, ILL.



CONTENTS OF VOLUME 64

JULY 1951. NUMBER 1

PAGE

Prognosis of Dermatitis Herpetiformis, Treated and Untreated. William H. Eyster Jr., M.D., and Robert R. Kierland, M.D., Rochester, Minn. ... 1

Oral Administration of Procaine with Ascorbic Acid, with Special Reference to the Therapy of Pruritus. Hugh Luddecke, M.D., Morristown, N. J. ... 9

Antiquity of Syphilis, with Some Observations on Its Treatment Through the Ages. Harold N. Cole, M.D., Chicago ... 12

Melanin Pigmentation and Hepatic Disease. F. A. Whitlock, M.D. (Cantab.), M.R.C.P., Truro, England ... 23

Further Studies in Autoeczematization. Bruce M. Esplin, M.D., Miami, Fla., and Frank E. Cormia, M.D., New York ... 31

Erythroderma Ichthyosiforme Congenitum: Epidermotectoscopical Description of a Case. Ante Vukas, M.D., Sušak, Jugoslavia ... 36

Treatment of Seborrheic Dermatitis with a Shampoo Containing Selenium Disulfide. William N. Slinger, M.D., and Donald M. Hubbard, Ch.E., Cincinnati ... 41

Clinical Notes:

Streptomycin Therapy of Erythema Induratum. Frank G. Witherspoon, M.D., and C. M. Hamilton, M.D., Nashville, Tenn. ... 49

Contact Dermatitis Due to Cinnamon: Recurrence of Dermatitis Following Oral Administration of Cinnamon Oil. William Leifer, M.D., New York ... 52

Further Clinical Observations on Seabather's Eruption. Lieutenant (jg) Samuel L. Moschella (MC), U.S.N. ... 55

Acrodermatitis Pustulosa Perstans: A Method of Treatment. Harold C. Fishman, M.D. Beverly Hills, Calif. ... 56

Granuloma Annulare: Dissemination Following Administration of Calciferol. H. H. Sawicky, M.D., and Norman B. Kanof, M.D., New York ... 58

Atrophia Maculosa Varioliformis Cutis. Lila Redmond McCorriston, M.D., Montreal, Canada, and Harvey C. Roys, M.D., Seattle, Wash. ... 59

Dystrophia Unguium Mediana Canaliformis. R. D. Sweet, M.B., M.R.C.P., Plymouth, England ... 61

Genitocrural Pruritus from Oral Aureomycin. A. J. Reiches, M.D., and Paul Kingsley Webb, M.D., St. Louis ... 63

Impetigo Herpetiformis Treated with Aureomycin. Charles Sheard, M.D., Stamford, Conn. ... 64

Contact Dermatitis Caused by Bamboo. Bencel L. Schiff, M.D., Pawtuckett, R. I. ... 66

Correspondence:

Further Studies on the Mechanism of Adhesive Tape Dermatitis. Harry Keil, M.D., New York ... 68

Society Transactions:

Philadelphia Dermatological Society ... 69

Metropolitan Dermatological Society of Los Angeles ... 75

Central States Dermatological Association ... 77

Chicago Dermatological Society ... 91

Manhattan Dermatologic Society ... 104

Los Angeles Dermatological Society ... 105

Obituaries:

Henry Honeyman Hazen, M.D. ... 107

A. Benson Cannon, M.D. ... 110

Directory of Dermatologic Societies ... 114

AUGUST 1951. NUMBER 2

PAGE

Cutaneous Medicine in the Medical Curriculum. U. J. Wile, M.D., Ann Arbor, Mich..... 119

Incontinentia Pigmenti: A Report of Five Cases and Review of Literature. Robert G. Carney, M.D., Iowa City..... 126

Psychocutaneous Aspects of Persistent Pruritus and Excessive Excoriation. Philip F. Durham Seitz, M.D., Indianapolis..... 136

Effects of Podophyllum on Basal-Cell Epitheliomas. Charles F. Sims, M.D., New York, and Nathan Pensky, M.D., Brooklyn..... 142

Squamous-Cell Epithelioma That Simulates Sarcoma. Laurence J. Underwood, M.D.; Hamilton Montgomery, M.D., and Albert C. Broders, M.D., Rochester, Minn..... 149

Pyogenic Infections of Skin: Etiologic Factor in Acute Glomerulonephritis of Children. J. Lamar Callaway, M.D., and Harry B. O'Rear, M.D., Augusta, Ga..... 159

Treatment of Vesiculoerosive Stomatitis with Aureomycin Troches. Alexander A. Fisher, M.D., and Morris Leider, M.D., New York..... 164

Penicillin in the Treatment of Experimental Syphilis of Rabbits: VII. Penicillin "S-R" and Procaine Penicillin G in Peanut Oil with Aluminum Monostearate, Alone and in Combination with Oxophenarsine Hydrochloride (Mapharsen®) or Bismuth Subsalicylate. John A. Kolmer, M.D., with the Technical Assistance of Anna M. Rule, Philadelphia..... 169

Pigmented Purpuric Eruptions. Samuel J. Randall, M.D.; Robert R. Kierland, M.D., and Hamilton Montgomery, M.D., Rochester, Minn..... 177

Clinical Notes:

Generalized Herpes Zoster, Encephalitis, and Lymphatic Leukemia: A Case Report. Lawrence Frank, M.D., Brooklyn..... 192

Tinea Barbae of the Kerion Type Produced by Trichophyton Purpureum: Report of a Case. Kurt Loewenthal, M.D., Freeport, N. Y., and Robert L. Rein, M.D., Brooklyn..... 194

Case of Pemphigus Treated with ACTH. Albert Rubin, M.D., Hartford, Conn..... 196

Fixed Drug Eruption and Epididymitis Due to Antipyrine. Hugh McCulloch, M.D., and I. Zeligman, M.D., D.Med.Sci., Baltimore..... 198

Palmar Psoriasis. M. H. Samitz, M.D., and J. J. Albom, M.D., Philadelphia..... 199

Alopecia Areata Occurring in Two Brothers and Two Sisters. Eugene S. Bereston, M.D., and Harry M. Robinson Jr., M.D., Baltimore..... 204

Simultaneous Condylomata Acuminata and Condylomata Lata: Report of a Case. Helen Taylor Dexter, M.D., and Evelyn M. Rockwell, M.D., Cincinnati..... 205

Chlorcyclizine Hydrochloride Ointment in Pruritic Dermatoses. Samuel Ayres III, M.D., and Samuel Ayres Jr., M.D., Los Angeles..... 207

Solitary Molluscum Contagiosum in Adults. Norman Tobias, M.D., St. Louis..... 208

Eczematous Reactions to Kwell® (Gamma Benzene Hexachloride). A. J. Reiches, M.D., St. Louis..... 209

Medical Tattooing: An Easily Constructed Electric Machine. Otto E. L. Schmidt, M.D., San Mateo, Calif..... 210

Treatment of Superficial Pyodermas in Children. Richard E. Strauss, M.D., and G. Douglas Baldridge, M.D., Philadelphia..... 211

Treatment of Pyogenic Dermatoses with Topical Chloramphenicol (Chloromycetin®). Ben A. Newman, M.D., and Fred F. Feldman, M.D., Los Angeles..... 212

Treatment of Recurrent Pustular Eruptions ("Pustular Psoriasis") with Cortisone. Max Wolf, M.D., and Gordon C. Sauer, M.D., New York..... 214

Lupus Erythematosus Following Burns from Hydrochloric Acid: Report of a Case. Gerald A. Spencer, M.D., New York..... 215

Skin Eruption Due to Chloramphenicol (Chloromycetin®). Harold E. Usndek, M.D.; William P. Curtiss, M.D., and Edwin J. Neill, M.D., Detroit..... 217

Society Transactions:

New York Academy of Medicine, Section of Dermatology and Syphilis..... 218

Pacific Dermatological Association..... 224

Brooklyn Dermatological Society..... 232

Cleveland Dermatological Society..... 233

Philadelphia Dermatological Society..... 238

AUGUST—*Continued*

PAGE
Bronx Dermatological Society ... 238
Chicago Dermatological Society ... 247
News and Comment ... 252
Book Reviews ... 254

SEPTEMBER 1951. NUMBER 3

Is Mycosis Fungoides a Reticuloendothelial Neoplastic Entity? Edward P. Cawley, M.D.; Arthur C. Curtis, M.D., and James E. K. Leach, M.D., Ann Arbor, Mich. ... 255
Rise and Growth of Dermatology in New York. Paul E. Bechet, M.D., Elizabeth, N. J. ... 273
Ferdinand von Hebra: In Commemoration of His Appointment One Hundred Years Ago as Professor of Dermatology at the University of Vienna. Ernest Spitzer, M.D., St. Louis ... 282
The Treatment of Granuloma Inguinale, Lymphogranuloma Venereum, Chancroid, and Gonorrhea. Harry M. Robinson Jr., M.D., Baltimore ... 284
Clinical Studies in Percutaneous Absorption. M. V. Nadkarni, Ph.D.; Donald B. Meyers, Ph.D.; Robert G. Carney, M.D., and Louis C. Zopf, M.S., Iowa City ... 294
Keratosis Punctata Palmaris et Plantaris. Michael J. Scott, M.D.; Maurice J. Costello, M.D., New York, and Socorro Simuangco, M.D., Manila, Philippines ... 301
Occurrence of Microsporum Gypseum (M. Fulvum) Infections in the District of Columbia Area: Report of Six Cases. Captain E. Randolph Trice, Medical Corps, United States Army, and June Carol Shafer, M.D., Arlington, Va. ... 309
Hypertrophic Lichen Planus in West African Negroes. G. H. V. Clarke, M.A., M.B.B.S., A.R.I.C., M.R.C.S., Lagos, Nigeria ... 314
Successful Treatment of Pemphigus with Heparin. John P. Magner, M.D.; R. Campbell Manson, M.D., and Allen Pepple, M.D., Richmond, Va. ... 320
Use of the Hypospray® in Dermatology. Robert H. Preston, M.D.; Leon Goldman, M.D., Cincinnati, and Lieutenant Colonel Robert G. Thompson, Medical Corps, Army of the United States ... 327
Lichen Simplex Chronicus and Its Variants: A Discussion of Certain Psychodynamic Mechanisms and Clinical and Histopathologic Correlations. Bertram Shaffer M.D., and Herman Beerman, M.D., Philadelphia ... 340
Primary Involvement of the Upper Extremities in Thromboangiitis Obliterans. Eugene M. Farber, M.D., and Millard H. McLain, M.D., San Francisco ... 352
Fixed Drug Eruption from Aureomycin: Report of Two Cases. Ashton L. Welsh, M.D., and Lawrence C. Goldberg, M.D., Cincinnati ... 356
Clinical Notes:
Periarteritis Nodosa: Report on a Patient Treated with Paraaminosalicylic Acid. Lee Carrick, M.D., and E. C. Vonder Heide, M.D., Detroit ... 359
Trial of Some Adenosine Compounds in Pruritus. Carl M. Pearson, M.D., and John L. Fromer, M.D., Boston ... 362
Spontaneous Cure of Tinea Capitis Due to Microsporon Audouini. William E. Laur, M.D., Amarillo, Texas ... 364
Vitiligo in (Apparent) Dermatomal Distribution. Jud R. Scholtz, M.D., and Craig Williamson, M.D., Pasadena, Calif. ... 366
Simple Method of Making X-Ray Shields for Small Ports. Jeff Davis, M.D., and Eva Davis, B.S., New York ... 369
Water-Removable Paste. Clinton G. Beirne, M.D., and Gilbert A. Beirne, M.D., San Francisco ... 370
Unusual Sequela to Chrome Ulceration of the Skin. Walter F. Edmundson, M.D., Washington, D. C. ... 371
Herpes Zoster Treated with ACTH. Walter R. Nickel, M.D., San Diego, Calif. ... 372
Society Transactions:
Detroit Dermatological Society ... 373
Cleveland Dermatological Society ... 374
Philadelphia Dermatological Society ... 378
News and Comment ... 384

OCTOBER 1951. NUMBER 4

PAGE

Etiologic and Immunologic Concepts Regarding Sarcoidosis. Adolph Rostenberg Jr., M.D., Chicago 385

Herpes Zoster Appearing After Trauma. Joseph V. Klauder, M.D., Philadelphia..... 407

Generalized Miliaria Rubra Associated with Abnormal Vitamin A Metabolism. Walter C. Lobitz Jr., M.D., Hanover, N. H., and Robert R. Kierland, M.D., Rochester, Minn..... 411

Early Dermatologic Illustration. John T. Crissey, M.D., Philadelphia..... 417

Cysteine as Local Protective to Human Skin Against X-Rays. A. H. Slepyan, M.D., Highland Park, Ill., and Theodore Cornbleet, M.D., Chicago..... 425

Results of Treatment of Acne Vulgaris by Intramuscular Injections of Vitamin A. George H. Mitchell, M.D., Philadelphia, and Thomas Butterworth, M.D., Reading, Pa..... 428

Effective Application of Banthine® in Dermatology. Crawford S. Brown, M.D., and I. Lewis Sandler, M.D., Washington, D. C..... 431

Idiopathic Hyperlipemia with Secondary Xanthomatosis: Report of a Case. Lawrence Frank, M.D., and Leon M. Levitt, M.D., Brooklyn..... 434

Results of Topical Application of Cortisone in Congenital Syphilitic Interstitial Keratitis: Preliminary Report of Two Cases. Stuart Maddin, M.D., and Julius L. Danto, M.D., New York..... 437

Occupational Leucoderma from Rubber Dust and Debris. Samuel J. Zakon, M.D., and Aaron L. Goldberg, M.D., Chicago..... 441

Evaluation of a New Drug for Topical Therapy of Tinea Capitis. Edmond Edelson, M.D.; Charles Craster, M.D., D.P.H., and Aaron Haskin, M.D., M.P.H., with the Technical Assistance of William B. Ignatoff, D.S.C., Newark, N. J..... 444

Capillary Resistance Tests. F. W. Hare Jr., M.D., Akron, Ohio, and A. J. Miller, M.D., Louisville 449

Acne Necrotica: Relation to Acne Necrotica Miliaris and Response to Penicillin and Other Antibiotics. Conrad Stritzler, M.D., Jamaica, N. Y.; Reuben Friedman, M.D., Philadelphia, and Adolph B. Loveman, M.D., Louisville..... 464

Cutaneous Hypersensitivity Due to Beryllium: A Study of Thirteen Cases. George H. Curtis, M.D., Cleveland..... 470

Multiple Miliary Osteomas of the Skin. Robert G. Carney, M.D., and Christian E. Radcliffe, M.D., Iowa City..... 483

Intradermal Leishmanin Test (Montenegro Test) in Diagnosis of Cutaneous Leishmaniasis: Report of a Case of Chiclero Ulcer Diagnosed in California. Paul Fasal, M.D., and Alexander Gradow, M.D., San Francisco..... 487

Coincident Infection of a Human and an Anthropoid with Microsporum Audouini: Report of a Case. John P. Scully, M.D., Reading, Pa., and Albert M. Kligman, M.D., Ph.D., Philadelphia 495

Green Nails: The Role of Candida (Syringospora, Monilia) and Pseudomonas Aeruginosa. Morris Moore, Ph.D., and Morris D. Marcus, M.D., St. Louis..... 499

Clinical Notes:
Adenoma Sebaceum. Robert G. Carney, M.D., Iowa City..... 506

Society Transactions:
New York Academy of Medicine, Section of Dermatology and Syphilis..... 508
Manhattan Dermatologic Society..... 516
San Francisco Dermatological Society..... 520
Detroit Dermatological Society..... 523
Brooklyn Dermatological Society..... 524
Bronx Dermatological Society..... 526
Metropolitan Dermatological Society of Los Angeles..... 530
Cleveland Dermatological Society..... 531

NOVEMBER 1951. NUMBER 5

"Chemical" Analysis of the Intact Skin by Reflectance Spectrophotometry. Joseph W. Goldzieher, M.D.; Irene S. Roberts, Ph.D.; William B. Rawls, M.D., and Max A. Goldzieher, M.D., New York..... 533

NOVEMBER—*Continued*

PAGE

Cortisone and Corticotropin (ACTH) in Treatment of Scleroderma. Robert R. Kierland, M.D., and Edgar A. Hines Jr., M.D., Rochester, Minn. 549

Physiological and Chemical Changes in Radiation Injuries. Frederic T. Jung, M.D., Chicago 555

Progesterone Therapy of Acne: A Clinical Evaluation. Henry M. Lewis, M.D.; Gerald M. Frumess, M.D., and Egbert J. Henschel, M.D., Denver 562

Evaluation of Chloramphenicol in the Treatment of Chronic Discoid Lupus Erythematosus. Harry M. Robinson, M.D., Baltimore 565

Cortisone Acetate Administered Orally in Dermatologic Therapy. Marion B. Sulzberger, M.D.; Victor H. Witten, M.D., New York, and Stanley N. Yaffe, M.D., Baltimore 573

Bismuth Putty in X-Ray Shielding: Efficiency of Material and Advances in Technique. J. Walter Wilson, M.D., Los Angeles, and Ralph Luikart II, M.D., Santa Barbara, Calif. 580

Appraisal of the Toxicity of Sunscreen Preparations. J. H. Draize, Ph.D., Washington, D. C. 585

Lichen Corneus Hypertrophicus (Lichen Ocreaformis, Lichen Obtusus): An Analysis of the Conditions with Which This Is Confused. Arthur B. Hyman, M.D., New York, and Benjamin D. Erger, M.D., Brooklyn 588

Antibiotic Sensitivity and Moniliasis. A. J. Reiches, M.D., St. Louis 604

Podophyllotoxin Treatment of Microsporum Audouini Scalp Infections. C. Jack Young, M.D., Oklahoma City 607

Congenital Ichthyosiform Erythroderma: A Report of Two Cases in Siblings, One Complicated by Kaposi's Varicelliform Eruption. Walter C. Fitzgerald, M.D., Danville, Va., and Armistead P. Booker, M.D., Charlottesville, Va. 611

Lichen Sclerosus et Atrophicus and Related Disorders. Carl W. Laymon, M.D., Minneapolis 620

Treatment of Urticaria and Dermatitis Venenata with Corticotropin (ACTH) and Cortisone. Captain Gordon H. Ekblad (MC), U.S.N. 628

Clinical Notes:

Antihistaminic Lotion for Miliaria. Daniel Schultheis Jr., M.D., Flushing, N. Y., and Eugene F. Traub, M.D., New York 635

Contact Dermatitis of the Face Due to Matches. J. F. Burgess, M.D., F.R.C.P.(C), and R. Roy Forsey, M.D., F.R.C.P.(C), Montreal, Canada 636

Sinus Tract of Dental Origin. Otis Field Jillson, M.D., and Robert H. Preston, M.D., Hanover, N. H. 637

Treatment of Folliculitis Keloidalis Chronica Nuchea (Acne Keloid). Lester Hollander, M.D., Pittsburgh 639

Allergic Stomatitis Due to "Baxin" in a Dentifrice. Alexander A. Fisher, M.D., Woodside, N. Y., and Maxwell Lipton, M.D., Astoria, N. Y. 640

Preparation of Slush. Garrett A. Cooper, M.D., and Charles W. Stoops, M.D., Madison, Wis. 641

Stryker Frame in Treatment of Pemphigus. Paraskevas Michaelides, M.D., and Milton Reisch, M.D., New York 642

Prevention of Hypersensitivity Reaction to Drug with Simultaneous Administration of the Drug and Cortone.® Leon Goldman, M.D., and Evelyn Rockwell, M.D., Cincinnati 644

Society Transactions:

Bronx Dermatological Society 645

Chicago Dermatological Society 648

San Francisco Dermatological Society 661

News and Comment 665

Obituaries:

Will Charles Davis, M.D. 666

DECEMBER 1951. NUMBER 6

PAGE

Dermatological Problems Among Pharmaceutical Workers. John Eric Dalton, M.D., and James D. Peirce, M.D., Indianapolis 667

Treatment of Lupus Vulgaris by Intralesional Injections of Calciferol: Its Use in Localized, Recurrent, or Refractory Cases. Brian Russell, M.D., London, England 676

Sulfoxone (Diasone®) Sodium for Dermatitis Herpetiformis. Theodore Cornbleet, M.D., Chicago 684

Effect of "Aminopterin" on Epithelial Tissues. Richard Gubner, M.D., Brooklyn 688

Studies in the Histogenesis of the Epidermis. Frank J. Eichenlaub, M.D., and Raymond A. Osbourn, M.D., Washington, D. C. 700

Histoplasmin Sensitivity in the Panama Canal Zone: A Correlated Clinicopathologic Study of One Thousand Patients, with Speculations as to the Present Status of Histoplasma Capsulatum on the Isthmus of Panama. Harold A. Tucker, M.D., Rangoon, Burma 713

Pemphigus: A Histopathologic Study. Walter F. Lever, M.D., Boston 727

Clinical Evaluation of "Diphenylpyraline" as an Antifungal Agent. Oscar Sokoloff, M.D., New Brunswick, N. J. 754

Use of Aureomycin in a Case of Osteoperiostitis of Syphilis. Frank W. Crowe, M.D., and Sture A. M. Johnson, M.D., Madison, Wis. 757

Lymphocytoma of the Skin: Report of an Unusual Case (Lymphocytoma Tumidum). Morris Waisman, M.D., Tampa, Fla., and Renzo G. Olivetti, M.D., St. Petersburg, Fla. 761

Piedra: Report of a Case. Michael J. Scott, M.D., New York 767

Metastatic Cutaneous Carcinoma from the Breast: A Clinical and Pathologic Study of a Case Showing Three Types of Lesions. Ullin W. Leavell Jr., M.D., and Frederick W. Tillotson, M.D., Cleveland 774

Clinical Notes:

Cortisone in the Treatment of Recurrent Erythema Multiforme. Harold J. Schupbach, M.D., and Benjamin R. Gendel, M.D., Memphis 783

Ulerythema Ophryogenes (Unna-Taenzer). S. J. Zakon, M.D., and A. L. Goldberg, M.D., Chicago 785

Perifolliculitis Capitis Abscedens et Suffodiens with Rheumatoid Arthritis: Report of a Case. Eugene Wasserman, M.D., Dallas, Texas 787

Terramycin Therapy of Ezcema Vaccinatum: Report of a Case. William Snyder, M.D., Cincinnati 789

Transverse Nasal Stripe. Seymour J. White, M.D., Concord, N. H. 791

Simplified Method of Calculating Dosage in Superficial X-Ray Therapy. Samuel Monash, M.D., New York 792

Editorial Note:

Illustrations. Paul A. O'Leary, M.D., Rochester, Minn. 793

Society Transactions:

Bronx Dermatological Society 794

Metropolitan Dermatological Society of Los Angeles 798

Minnesota Dermatological Society 799

Philadelphia Dermatological Society 803

Rhode Island Dermatological Society 805

News and Comment 809

Obituaries:

J. Gardner Hopkins, M.D. 810

INDEX TO VOLUME 64

The asterisk (*) preceding the page number indicates an original article in the ARCHIVES. Subject entries are made for all articles. Author entries are made for original articles and society transactions. Book Reviews, Obituaries, and Society Transactions are indexed under these headings in the alphabetical order under the letters B, O, and S, respectively. Articles for which only the authors and titles are included in the Society Transactions are not indexed.

Abnormalities and Deformities: See under names of diseases, organs, and regions

Absorption
percutaneous: clinical studies in [Nadkarni & others], *294

Acanthosis
nigricans [Wright & Jaffe], 380
nigricans: melanin pigmentation and hepatic disease, *23

Acid: See under names of specific acids

Acne
following ACTH therapy for arthritis [Brunner], 98
keloidalis [Schiff], 805
necrotica: relation to acne necrotica miliaris and response to penicillin and other antibiotics [Stritzler & others], *464
progesterone therapy [Lewis & others], *562
vulgaris: results of treatment by intramuscular injections of vitamin A [Mitchell & Butterworth], *428
vulgaris: severe cystic [Templeton & others], 230

Acrodermatitis
pustulosa perstans: method of treatment [Fishman], *56

Acrokeratosis: See under Keratosis

ACTH: See Corticotropin

Adenoma
sebaceum [Carney], *506

Adenosine Compounds
trial in pruritus [Pearson & Fromer], *362

Adenosinetriphosphate: See Adenosine Compounds

Adenylic Acid: See Adenosine Compounds

Albom, J. J.
Palmar psoriasis, *199

Allergy: See Anaphylaxis and Allergy

Allington, H. V.
Severe cystic acne vulgaris, 230

Allington, R. R.
Severe cystic acne vulgaris, 230

Alopecia
areata: occurring in 2 brothers and 2 sisters [Bereston & Robinson], *204

Aminopterin: See under Folic Acid

Ammonia and Ammonium Compounds
effective application of banthine® in dermatology [Brown & Sandler], *431

Amyloidosis
cutis [Cole & others], 87

Anaphylaxis and Allergy
allergic stomatitis due to "baxin" in dentifrice [Fisher & Lipton], *640
folliculitis (?) due to food allergy [Murphy], 530

Andrews, G. C.
Pemphigus vulgaris treated with ACTH, 218

Angioma
serpiginosum (Hutchinson's infectious angioma)? purpura annularis telangiectodes (Majocchi)? [Sulzberger & others], 794
serpiginosum: pigmented purpuric eruptions [Randall & others], *177
Sturge-Weber syndrome; syringoma, 81

Antibiotics: See also Aureomycin; Chloramphenicol; Neomycin; Penicillin; Streptomycin
response of acne necrotica to [Stritzler & others], *464
sensitivity to, and moniliasis [Reiches], *604

Antipyrine
fixed drug eruption and epididymitis due to [McCulloch & Zeligman], *198

Apparatus: See also Instruments
easily constructed electric machine for electric tattooing [Schmidt], *210
simple method for making x-ray shields for small ports [Davis & Davis], *369
Stryker frame in treatment of pemphigus [Michaelides & Reisch], *642

Arthritis
rheumatoid: perifolliculitis capitis abscedens et suffodiens with [Wasserman], *787

Ascorbic Acid: See Vitamins, C

Asel, N.
Congenital ichthyosiform erythoderma, 79
Congenital ichthyosiform erythroderma in man aged 30, 80
Epidermolysis bullosa, 85

Atrophia: See Atrophy

Atrophy
atrophia maculosa varioliformis cutis [McCorriston & Roys], *59

Aureomycin
benign familial pemphigus improved by [Erger], 232
chancroid treated with [Robinson], *288
familial benign chronic pemphigus improved by aureomycin [Erger], 232
fixed drug eruption from [Welsh & Goldberg], *356
genitocrural pruritus from oral use [Reiches & Webb], *63
gonorrhea treated with [Robinson], *285
granuloma inguinale treated with [Robinson], *292
impetigo herpetiformis treated with [Sheard], *64
lymphogranuloma venereum treated with [Robinson], *289
molluscum contagiosum treated with [Feiler], 246
osteoperiostitis of syphilis treated with [Crowe & Johnson], *757
vesiculoerosive stomatitis treated with aureomycin troches [Fisher & Leider], *164

Australian Journal of Dermatology, 665

Ayres, S., Jr.
Chlorcyclizine hydrochloride ointment in pruritic dermatoses, *207

Ayres, S., III
Chlorcyclizine hydrochloride ointment in pruritic dermatoses, *207

Baldridge, G. D.
Porokeratosis (Mibelli), 798
Treatment of superficial pyodermas in children, *211

Baillien, T. A.
Case for diagnosis: keratoderma blennorrhagica vs. Reiter's syndrome, 375

Ballin, D.
Case for diagnosis: lichen planopilaris? 240

Banthine®: See Ammonia and Ammonium Compounds

Barsky, S.
Tuberculosis cutis? sarcoid? 95

Baxin: See Dichlorodihydroxydiphenylmethane

Bechet, P. E.
Rise and growth of dermatology in New York, *273

Becker, F. T.
Recurrent pyoderma and gingivitis associated with periodic cyclic neutropenia, 799

Beerman, H.
Lichen simplex chronicus and its variants: discussion of certain psychodynamic mechanisms and clinical and histopathologic correlations, *340

Beirne, G. A.
Water-removable paste, *370

Belber, J. P.
Case for diagnosis: reticulum cell sarcoma? mycosis fungoides? 226

Bereston, E. S.
Alopecia areata occurring in 2 brothers and 2 sisters, *204

Bergenstal, D.
Chronic porphyria (tardive congenital), 102

Beryllium
cutaneous hypersensitivity due to [Curtis], *470

Bielinski, S.
Metastatic melanoblastoma, 656
Sarcoidosis of left breast region, 100

Binkley, G. W.
Dermatitis herpetiformis: response to nicotinic acid therapy, 87

Bismuth
putty in x-ray shielding [Wilson & Luikart], *580
subsalicylate: in combination with repository penicillin products in treatment of experimental rabbit syphilis [Kolmer], *169

Blau, S.
Case for diagnosis: angioma serpiginosum (Hutchinson's infectious angioma?); purpura annularis telangiectodes (Majocchi?), 794

Bleier, A.
Sclerosing hemangioma type of nevoxanthoendothelioma in 5-month-old child, 73

Bloom, D.
Nevoxanthoendothelioma, 516

Bluefarb, S.
Sarcoidosis, 658

Boardman, M. V.
Kraurosis vulvae, 526

Book Reviews
Atlas der Haut- und Geschlechtskrankheiten: Geschlechtskrankheiten: L. Arzt & J. Tappeiner, 254

Bowen's Disease
or mycosis fungoides? [Garner], 69

Booker, A. P.
Congenital ichthyosiform erythroderma: report of two cases in siblings, one complicated by Kaposi's varicelliform eruption, *611

Breast
metastatic cutaneous carcinoma from [Leavell & Tillotson], *774
sarcoidosis of left breast region [Cornbleet], 100

Broders, A. C.
Squamous-cell epithelioma that simulates sarcoma, *149

Brown, C. S.
Effective application of banthine® in dermatology, *431

Brunner, M. J.
Acne following ACTH therapy for arthritis, 98

Burgess, J. F.
Contact dermatitis of face due to matches, *636

Burgoon, C. F., Jr.
Tuberous sclerosis with obstruction of aqueduct and internal hydrocephalus with collagenous plaques in 5-month-old boy, 71

Butterworth, T.
Results of treatment of acne vulgaris by intramuscular injections of vitamin A, *428

Calciferol: See Vitamins, D

Callaway, J. L.
Pyogenic infections of skin: etiologic factor in acute glomerulonephritis of children, *159

Cancer: See also Epithelioma; Melanoma; Sarcoma; Tumors, and under names of organs and regions as Stomach; Thorax; Breast
metastatic cutaneous carcinoma from breast [Leavell & Tillotson], *774

Candida
role in green nails [Moore & Marcus], *499

Cannon, A. B.
Case for diagnosis: pemphigus vulgaris? pemphigus erythematosus, *218

Capillaries
resistance tests [Hare & Miller], *449

Carbon Dioxide
slush: preparation [Cooper & Stoops], *641

Carcinoma: See Cancer

Carney, R. G.
Adenoma sebaceum, *506
Clinical studies in percutaneous absorption, *294
Incontinentia pigmenti: report of 5 cases and review of literature, *126
Multiple miliary osteomas of skin, *483

Carrick, L.
Periarteritis nodosa: report on patient treated with paraaminosalicylic acid, *359

Cawley, E. P.
Is mycosis fungoides a reticuloendothelial neoplastic entity? *255

Ceder, E. T.
Trichoptilosis or fragilitas crinium, 802

Chancroid
treatment [Robinson], *284

Chiaramonte, C. T.
Case for diagnosis: Peyronie's disease, 526
Pemphigus vulgaris, 525

Chiclero Ulcer: See Leishmaniasis

Chivington, P.
Acrokeratosis verruciformis, 235
Congenital ichthyosiform erythroderma, 79
Congenital ichthyosiform erythroderma in man aged 30, 80
Epidermolysis bullosa, 85
Pemphigus vulgaris, 233
Periarteritis nodosa, 377

Chloasma: See Pigmentation

Chloramphenicol
chancroid treated with [Robinson], *288
chronic discoid lupus erythematosus: evaluation of treatment [Robinson], *565
gonorrhea treated with [Robinson], *285
granuloma inguinale treated with [Robinson], *292
lymphogranuloma venereum treated with [Robinson], *290
pyogenic dermatoses treated with topical chloramphenicol [Newman & Feldman], *212
skin eruption due to [Usndek & others], *217

Chlorcyclizine: See Histamine, antagonists

Clarke, G. H. V.
Hypertrophic lichen planus in West African Negroes, *314

Cohen, D. M.
Lupus vulgaris after treatment, 648
Sarcoidosis of left breast region, 100

Cole, H. N.
Amyloidosis cutis, 87
Antiquity of syphilis, with some observations on its treatment through ages, *12
Case for diagnosis: melanosis cutis? Kaposi's idiopathic hemorrhagic sarcoma? 237
Erythema gyratum perstans, 236
Facial granuloma with eosinophilia, 77
Porokeratosis (Mibelli), 83

Cole, H. N., Jr.
Amyloidosis cutis, 87
Erythema gyratum perstans, 236
Facial granuloma with eosinophilia, 77
Porokeratosis (Mibelli), 83

Cole, W.
Case for diagnosis: progressive pigmented purpuric disease? 661

Coletti, J.
Lymphocytoma cutis, 803
Pseudoxanthoma elasticum, 803

Combes, F. C.
Reticulum-cell sarcoma, 519

Condyloma
simultaneous condylomata acuminata and condylomata lata: case [Dexter & Rockwell], *205

Cooper, G. A.
Preparation of slush, *641

Cormia, F. E.
Further studies in autoeczematization, *31

Cornbleet, T.
Cysteine as local protective to human skin against x-rays, *425
Lupus vulgaris after treatment, 648
Sarcoidosis of left breast region, 100
Sulfoxone (diasone®) sodium for dermatitis herpetiformis, *684

Corticotropin
acne following ACTH therapy for arthritis [Brunner], 98
dermatitis herpetiformis (atypical) treated with [Fisher & others], 238
erythema bullosum (pemphigoides) treated with [Gross], 219
herpes zoster treated with [Nickel], *372
neurodermatitis, diffuse, dry, treated with [Rothman & Farney-Davies], 98
pemphigus treated with [Schmidt], 99; [Rubin], *196

Corticotropin—Continued
pemphigus vulgaris treated with [Andrews], 218; [Netherton], 374
pemphigus vulgaris, extensive, treated with [Hopkins], 218
psoriasis vulgaris treated with [Falk & Hetreed], 99
psoriatic erythroderma with arthritis, treated with [Sobel], 513
scleroderma treated with [Kierland & Hines], *549
urticaria and dermatitis venenata treated with [Ekblad], *628

Cortisone
acetate, administered orally in dermatologic therapy [Sulzberger & others], *573
dermatomyositis improved with [Silverman], 524
eruptions, pustular, recurrent, treated with [Wolf & Sauer], *214
erythema multiforme, recurrent, treated with [Schupbach & Gendel], *783
hypersensitivity reaction to drug: prevention by simultaneous administration of drug and cortone® [Goldman & Rockwell], *644
keratitis, syphilitic interstitial, congenital, treated with topical application: results [Maddin & Danto], *437
pemphigus treated with [Schmidt], 99
pemphigus vegetans treated with [Newman & Feldman], 105
pemphigus vulgaris treated with [Netherton], 374; [Samitz & Wiggall], 379
sarcoidosis, annular, treated with [Ronchese], 806
scleroderma improved with: case for diagnosis [Silverman], 524
scleroderma treated with [Kierland & Hines], *549
urticaria and dermatitis venenata treated with [Ekblad], *628

Cortone®: See Cortisone

Cosmetics
sunscreen preparations: toxicity [Draize], *585

Costello, M. J.
Keratosis punctata palmaris et plantaris, *301
Schamberg's disease (progressive pigmentary dermatosis), 517

Courville, C. J.
Onycholysis with pigmentation, 523

Coventry, W. D.
Recurrent pyoderma and gingivitis associated with periodic cyclic neutropenia, 799

Craster, C.
Evaluation of new drug for topical therapy of tinea capitis, *444

Crissey, J. T.
Early dermatologic illustration, *417

Crowe, F. W.
Use of aureomycin in case of osteoperiostitis of syphilis, *757

Curtis, A. C.
Is mycosis fungoides a reticuloendothelial neoplastic entity? *255

Curtis, G. H.
Bullous congenital ichthyosiform erythroderma in girl aged 17 years, 80
Case for diagnosis, 78
Cutaneous hypersensitivity due to beryllium: study of 13 cases, *470

Curtiss, W. P.
Skin eruption due to chloramphenicol (chloromycetin®), *217

Cysteine
as local protective to human skin against x-rays [Slepyan & Cornbleet], *425

Dalton, J. E.
Dermatological problems among pharmaceutical workers, *667

Danto, J. L.
Results of topical application of cortisone in congenital syphilitic interstitial keratitis: preliminary report of 2 cases, *437

Davis, E.
Simple method of making x-ray shields for small ports, *369

Davis, A. E.
Localized myxedema, 227

Davis, J.
Simple method of making x-ray shields for small ports, *369

Dermatitis
atopic, and nonsuppurative panniculitis [Orfuss], 243
contact, due to bamboo [Schiff], *66
contact, due to cinnamon, with recurrence following oral administration of cinnamon oil [Leifer], *52
contact, of face, due to matches [Burgess & Forsey], *636
contact, due to nickel [Wolf], 104
contact, due to ragweed, successfully treated with oral hyposensitization [Fisher], 647
contact, due to rubber [Fisher], 797
contact, treatment with corticotropin (ACTH) and cortisone [Ekblad], *628
contact, treatment with cortisone and corticotropin [Ekblad], *628
herpetiformis (atypical), treated with ACTH (Wilson) [Fisher & others], 238
herpetiformis: case for diagnosis [Mitchell], 91
herpetiformis: prognosis [Eyster & Kierland], *1
herpetiformis: with remission following nephrectomy [Doherty], 509
herpetiformis: response to nicotinic acid therapy [Johnson & Binkley], 87
herpetiformis: sulfoxone (diasone®) sodium for [Cornbleet], *684
lichenoid, pigmented purpuric: pigmented purpuric eruptions [Randall & others], *177
pigmentary, progressive: Schamberg's disease [Costello], 517
pruritic: chlorcyclizine hydrochloride in pruritic dermatoses [Ayres & Ayres], *207
pyogenic: treatment with topical chloramphenicol [Newman & Feldman], *212
seborrheic: treatment with shampoo containing selenium disulfide [Slinger & Hubbard], *41
venenata: See Dermatitis, contact

Dermatology
dermatological problems among pharmaceutical workers [Dalton & Peirce], *667
new journal, 665
rise and growth in New York [Bechet], *273

Dermatomyositis
improved with cortisone [Silverman], 524

Dermatoses: See Dermatitis

Dexter, H. T.
Simultaneous condylomata acuminata and condylomata lata: report of case, *205

Diabetes mellitus: necrobiosis lipoidica diabeticorum [Rusten], 801

Diasone® (sulfoxone) sodium: See Sulfone Compounds

Dichlorodihydroxydiphenylmethane
allergic stomatitis due to "baxin" in dentifrice [Fisher & Lipton], *640

Dihydrostreptomycin
gonorrhea treated with [Robinson], *286
granuloma inguinale treated with [Robinson], *291

Diliaha, C. J.
Chronic porphyria (tardive congenital), 102

Diphenylpyraline: See Histamine, antagonists

Doherty, D. D.
Dermatitis herpetiformis with remission following nephrectomy, 509

Draize, J. H.
Appraisal of toxicity of sunscreen preparations, *585

Drake, J.
Acrokeratosis verruciformis (Hopf), 661

Drant, P.
Ocular pemphigus, *381

Driver, J. R.
Amyloidosis cutis, 87
Case for diagnosis: melanosis cutis? Kaposi's idiopathic hemorrhagic sarcoma? 237
Erythema gyratum perstans, 236
Facial granuloma with eosinophilia, 77
Porokeratosis (Mibelli), 83

Ebert, M. H.
Lichen sclerosus et atrophicus, 654
Tuberculosis cutis? sarcoid? 95

Eczema
autoeczematization: further studies [Esplin & Cormia], *31

Eczema—Continued
eczematous reactions to kwell® (gamma benzene hexachloride) [Reiches], *209
vaccinatum: terramycin therapy [Snyder], *789

Edelson, E.
Evaluation of new drug for topical therapy of tinea capitis, *444

Edema
persistent severe, of eyelids bilaterally, with proptosis and ophthalmoplegia [Marmelszadt], 76

Edmundson, W. F.
Unusual sequela to chrome ulceration of skin, *371

Education
cutaneous medicine in medical curriculum [Wile], 119

Eichenlaub, F. J.
Studies in histogenesis of epidermis, *700

Ekblad, G. H.
Case for diagnosis (lymphangiomatous nevus?), 521
Treatment of urticaria and dermatitis venenata with corticotropin (ACTH) and cortisone, *628

Embryology
studies in histogenesis of epidermis [Eichenlaub & Osbourn], *700

Emotions
psychocutaneous aspect of persistent pruritus and excessive excoriation [Seitz], *136

Epidermis: See Skin

Epidermolysis
bullosa [Asel & others], 85
bullosa acquisita [Orfuss], 794
bullosa dystrophica [Levine], 85

Epidermotectoscopy
epidermotectoscopical description of case of erythroderma ichthyosiforme congenitum [Vukas], *36

Epithelioma
basal cell: effects of podophyllum [Sims & Pensky], 142
basal cell, infiltrating ulcerating, treated with podophyllin [Wolf], 245
cystic, benign: therapeutic suggestions? [Stiles], 374
squamous cell, simulating sarcoma [Underwood & others], *149

Epithelium
effect of "aminopterin" on epithelial tissues [Gubner], *688

Epstein, E.
Case for diagnosis: reticulum cell sarcoma? mycosis fungoides? 226
Localized myxedema, 227
Mycosis fungoides, 225

Erger, B. D.
Familial benign chronic pemphigus improved by aureomycin therapy, 232
Benign familial pemphigus improved by aureomycin, 232
Lichen corneus hypertrophicus (lichen ocreaformis, lichen obtusus): analysis of conditions with which this is confused, *588

Eruptions
drug, fixed, due to aureomycin [Welsh & Goldberg], *356
drug, fixed, and epididymitis, due to antipyrine [McCulloch & Zeligman], *198
due to chloramphenicol [Usndek & others], *217
pigmented purpuric [Randall & others], *177
pustular: treatment of recurrent pustular eruptions with cortisone [Wolf & Sauer], *214
seabather's: further observations [Mochella], *55

Erythema
bullosum (pemphigoides), treated with corticotropin [Gross], 219
gyratum perstans [Cole & others], 236
induratum [Wechsler], 508
induratum, treated with streptomycin [Witherspoon & Hamilton], *49
multiforme, recurrent, treated with cortisone [Schupbach & Gendel], *783

Erythroderma
ichthyosiform: epidermotectoscopical description of case [Vukas], *36
ichthyosiform, congenital [Asel & others], 79; [Fitzgerald & Booker], *611; [Schonberg], 79

Erythroderma—Continued
ichthyosiform, congenital, in man aged 30 [Asel & others], 80
ichthyosiform, congenital, bullous, in girl aged 17 [Curtis], 80
psoriatic with arthritis, treated with corticotropin [Sobel], 513

Esplin, B. M.
Further studies in autoeczematization, *31

Ethinyl Estradiol
urticaria from synapoidin® controlled by [Lunsford & Kinsell], 224

Excoriation
psychocutaneous aspects of persistent pruritus and excessive excoriation [Seitz], *136

Extremities
upper: primary involvement in thromboangiitis obliterans [Farber & McLain], *352

Eyster, W. H., Jr.
Prognosis of dermatitis herpetiformis treated and untreated, *1

Face
contact dermatitis of, due to matches [Burgess & Forsey], *636

Falk, A. B.
Psoriasis vulgaris treated with ACTH, 99

Farber, E. M.
Kaposi's multiple idiopathic hemorrhagic sarcoma, 521
Primary involvement of upper extremities in thromboangiitis obliterans, *352

Farney-Davies, E.
Diffuse, dry neurodermatitis treated with ACTH, 98
Lichen sclerosus et atrophicus, 653

Fasal, P.
Intradermal leishmanin test (Montenegro test) in diagnosis of cutaneous leishmaniasis: report of case of chiclero ulcer diagnosed in California, *487

Feller, H. B.
Molluscum contagiosum treated with aureomycin, 246

Feldman, F. F.
Pemphigus vegetans: involution with cortisone therapy, 105
Treatment of pyogenic dermatoses with topical chloramphenicol (chloromycetin®), *212

Fellowships
Washington University School of Medicine fellowship in dermatology, 384
Earl D. Osborne fellowship in dermal pathology, 253

Finley, K.
Ocular pemphigus, 381

Fisher, A. A.
Allergic stomatitis due to "baxin" in dentifrice, *640
Dermatitis herpetiformis (atypical) treated with ACTH (Wilson), 238
Contact dermatitis due to rubber, 797
Ragweed dermatitis successfully treated with oral hyposensitization, 647
Treatment of chloasma with monobenzyl ether of hydroquinone, 645
Treatment of vesiculoerosive stomatitis with aureomycin troches, *164

Fisher, I.
Lentigines, 801

Fishman, H. C.
Acrodermatitis pustulosa perstans: method of treatment, *56

Fitzgerald, W. C.
Congenital ichthyosiform erythroderma: report of two cases in siblings, one complicated by Kaposi's varicelliform eruption, *611

Folic Acid
effect of "aminopterin" on epithelial tissues [Gubner], *688

Folliculitis
(?) due to food allergy [Murphy], 530
keloidalis chronica nuchea (acne keloid) [Hollander], *639

Fordyce-Fox Disease: See Fox-Fordyce Disease

Forsey, R. R.
Contact dermatitis of face due to matches, *636

Fox-Fordyce disease, in male [Zakon & Goldberg], 659

Frank, L.
Generalized herpes zoster, encephalitis, and lymphatic leukemia: case report, *192
Idiopathic hyperlipemia with secondary xanthomatosis: report of case, *434
Trichophyton sulfureum infection of scalp with multiple small-kerion formation, 242

Freckles
lentigines [Fisher], 801

Friedman, R.
Acne necrotica: relation to acne necrotica miliaris and response to penicillin and other antibiotics, *464

Fromer, J. L.
Trial of some adenosine compounds in pruritus, *362

Frumess, G. M.
Progesterone therapy of acne: clinical evaluation, *562

Fungi: See under names of specific organisms

Fungicides
clinical evaluation of diphenylpyraline as antifungal agent [Sokoloff], *754

Gamma Benzene Hexachloride
eczematous reactions to [Reiches], *209

Garb, J.
Lymphoblastoma, 527

Gardner, R. K.
Hyperkeratosis congenita generalisata cum cornubus, 89
Sturge-Weber syndrome: syringoma, 81

Garner, V. C.
Mycosis fungoides? Bowen's disease? 69
Urticaria pigmentosa (adult type), 69

Gendel, B. R.
Cortisone in treatment of recurrent erythema multiforme, *783

Gingivitis: See Gums

Ginsberg, J.
Sclerosing hemangioma, 651

Goldberg, A. L.
Fox-Fordyce disease in male, 659
Occupational leucoderma from rubber dust and debris, *441
Ulerythema ophryogenes (Unna-Taenzer), *785

Goldberg, L. C.
Fixed drug eruption from aureomycin: report of 2 cases, *356

Goldman, L.
Prevention of hypersensitivity reaction to drug with simultaneous administration of drug and cortone®, *644
Use of hypospray® in dermatology, *327

Goldzieher, J. W.
Chemical analysis of intact skin by reflectance spectrophotometry, *533

Goodwin, R. M.
Case of tinea capitis (audouini) with tinea ciliorum in boy of 8, 655

Gonorrhea
treatment [Robinson], 284

Gradow, A.
Intradermal leishmanin test (Montenegro test) in diagnosis of cutaneous leishmaniasis: report of case of chiclero ulcer diagnosed in California, *487

Granulocytopenia
recurrent pyoderma and gingivitis associated with periodic cyclic neutropenia [Becker & Coventry], 799

Granuloma
annulare: dissemination following administration of calciferol [Sawicky & Kanof], *58
eosinophilic, of skin, erythema-elevatum-diutinum type [Wolf], 515
facial, with eosinophilia [Cole & others], 77
foreign body, due to protamine zinc insulin injection [Novy], 225
foreign body, sarcoid-like [Spencer], 652
inguinale: treatment [Robinson], *284

Greenberg, M.
Lymphocytoma cutis, 803
Pseudoxanthoma elasticum, 803

Gross, P.
Erythema bullosum (pemphigoides) treated with ACTH, 219

Gubner, R.
Effect of "aminopterin" on epithelial tissues, *688

Gums
recurrent pyoderma and gingivitis associated with periodic cyclic neutropenia [Becker & Coventry], 799

Hackbarth, D.
Dermatitis herpetiformis (atypical) treated with ACTH (Wilson), 238

Hair
anomalies, multiple simultaneous [Leider], 646
diseases: piedra [Scott], *767
diseases: trichoptilosis or fragilitas crinium [Ceder], 802

Hamilton, C. M.
Streptomycin therapy of erythema induratum, *49

Hand: See Palms

Hare, F. W., Jr.
Capillary resistance tests, *449

Haserick, J. R.
Chronic systemic lupus erythematosus, 89
Systemic lupus erythematosus, 88

Haskin, A.
Evaluation of new drug for topical therapy of tinea capitis, *444

von Hebra, Ferdinand
in commemoration of his appointment 100 years ago as professor of dermatology at University of Vienna [Spitzer], *282

Hemangioma
sclerosing [Ginsberg & Musgrave], 651

Henschel, E. J.
Progesterone therapy of acne: clinical evaluation, *562

Heparin
pemphigus successfully treated with [Magner & others], *320

Herpes
zoster, appearing after trauma [Klauder], *407
zoster, generalized, with encephalitis and lymphatic leukemia; case [Frank], *192
zoster, treated with corticotropin [Nickel], *372

Hetreed, F.
Psoriasis vulgaris treated with corticotropin, 99

Hines, E. A., Jr.
Cortisone and corticotropin (ACTH) in treatment of scleroderma, *549

Hiss, F. W.
Histoplasmosis, 247

Histamine
antagonists: antihistaminic lotion for miliaria [Schultheis & Traub], *635
antagonists: chlorcyclizine hydrochloride ointment in pruritic dermatosis [Ayres & Ayres], *207
antagonists: clinical evaluation of diphenylpyraline as antifungal agent [Sokoloff], *754

Histoplasma
capsulatum: histoplasmin sensitivity in Panama Canal Zone: correlated clinicopathologic study of 1,000 patients, with speculations as to present status of H. capsulatum on Isthmus of Panama [Tucker], 713
capsulatum: histoplasmosis [Hiss], 247

Hollander, L.
Treatment of folliculitis keloidalis chronica nuchae (acne keloid), *639

Hopkins, J. G.
Extensive pemphigus vulgaris treated with ACTH, 218

Hubbard, D. M.
Treatment of seborrheic dermatitis with shampoo containing selenium disulfide, *41

Hutchinson's Infectious Angioma: See Angioma, serpiginosum

Hydroquinone
monobenzyl ether: treatment of chloasma with "laviderm" [Fisher], 645

Hyman, A. B.
Lichen corneus hypertrophicus (lichen ocreaformis, lichen obtusus): analysis of conditions with which this is confused, *588

Hyperhidrosis: See Sweat Glands

Hyperkeratosis: See Keratosis

Hyperlipemia
idiopathic, with secondary xanthomatosis [Frank & Levitt], *434

Hypersensitivity cutaneous, due to beryllium [Curtis], *470

Hypospray®
use in dermatology [Preston & others], *327

Illustrations
Dermatologic, early [Crissey], *417
editorial note [O'Leary], 793

Impetigo
herpetiformis: aureomycin treatment [Sheard], *64

Industry and Occupation
dermatological problems among pharmaceutical workers [Dalton & Peirce], *667

Infections
pyogenic, of skin, as etiologic factor in acute glomerulonephritis in children [Calloway & O'Rear], *159

Injuries
radiation: physiological and chemical changes in [Jung], *555

Instruments
use of hypospray® in dermatology [Preston & others], *327

Insulin
protamine zinc: foreign body granuloma due to [Novy], 225

Jaffe, L.
Acanthosis nigricans, 380
Xanthoma tuberosum, 378

Jillson, O. F.
Sinus tract of dental origin, *637

Johnson, H. H.
Dermatitis herpetiformis: response to nicotinic acid therapy, 87

Johnson, S. A. M.
Use of aureomycin in case of osteoperiostitis of syphilis, *757

Jung, F. T.
Physiological and chemical changes in radiation injuries, *555

Kanof, N. B.
Granuloma annulare: dissemination following administration of calciferol, *58

Kaposi's Sarcoma: See Sarcoma

Kaposi's Varicelliform Eruption: See Erythroderma

Keloid
acne keloidalis [Schiff], 805
acne: treatment of folliculitis keloidalis chronica nuchea [Hollander], *639

Keratitis
congenital syphilitic interstitial: results of topical application of cortisone in [Maddin & Danto], *437
phlyctenular [Wechsler], 508

Keratoderma
blennorrhagica, vs. Reiter's syndrome [Ballien], 375
palmaris? case for diagnosis [Walton], 520

Keratosis
acrokeratosis verruciformis [Chivington & others], 235
acrokeratosis verruciformis (Hopf) [Drake], 661
follicularis: keratosis pilaris; ulerythema ophryogenes [Wolf], 104
hyperkeratosis congenita generalisata cum cornubus [Stewart & others], 89
pilaris: See Keratosis, follicularis
porokeratosis of Mibelli [Cole & others], 83; [Murphy & Baldridge], 798
punctata palmaris et plantaris [Scott & others], *301

Kerion
Trichophyton sulfureum infection of scalp with multiple small-kerion formation [Franks & Rosenbaum], 242

Kern, A. B.
Hyperhidrosis of palms, 808

Kesten, B. M.
Urticaria solare (4,200 to 4,900 A.), 221

Kierland, R. R.
Cortisone and corticotropin (ACTH) in treatment of scleroderma, *549
Generalized miliaria rubra associated with abnormal vitamin A metabolism, *411
Pigmented purpuric eruptions, *177
Prognosis of dermatitis herpetiformis treated and untreated, *1

Kinsell, L. W.
Urticaria from synapoidin® controlled by ethinyl estradiol, 224

Klauder, J. V.
Herpes zoster appearing after trauma, *407

Kligman, A. M.
Anthropoid primate ringworm: type of Microsporum audouini infection in monkey and owner, 72
Coincident infection of human and anthropoid with Microsporum audouini: report of case, *495

Kolmer, J. A.
Penicillin in treatment of experimental syphilis of rabbits: Penicillin "S-R" and procaine penicillin G in peanut oil with aluminum monostearate, alone and in combination with oxophenarsine hydrochloride (mapharsen®) or bismuth subsalicylate, *169

Kraurosis vulvae [Boardman], 526

Krupkin, N. R.
Case for diagnosis, 81

Kwell®: See Gamma Benzene Hexachloride

Laur, W. E.
Spontaneous cure of tinea capitis due to Microsporon audouini, *364

Laviderm: See Hydroquinone, monobenzyl ether

Laymon, C. W.
Lichen sclerosus et atrophicus and related disorders, *620
Morphea in axilla, 800
Neurofibromatosis, 801

Leach, J. E. K.
Is mycosis fungoides a reticuloendothelial neoplastic entity? *255

Leaf, V.
Tuberculosis cutis? sarcoid? 95

Leavell, U. W., Jr.
Metastatic cutaneous carcinoma from breast: clinical and pathologic study of case showing 3 types of lesions, *774

Leider, M.
Case for diagnosis: angioma serpiginosum (Hutchinson's infectious angioma?); purpura annularis telangiectodes (Majocchi?), 794
Multiple simultaneous anomalies of hair, 646
Treatment of vesiculoerosive stomatitis with aureomycin troches, *164

Leifer, W.
Contact dermatitis due to cinnamon: recurrence of dermatitis following oral administration of cinnamon oil, *52

Leiomyoma [Neuhauser], 660

Leishmaniasis
cutaneous: intradermal leishmanin test (Montenegro test) in diagnosis [Fasal & Gradow], *487

Leishmanin Test: See Leishmaniasis

Lentigo: See Freckles

Leucoderma
occupational, from rubber dust and debris [Zakon & Goldberg], *441

Leukemia cutis? [Twining], 70

Lever, W. F.
Pemphigus: histopathologic study, *727

Levine, B.
Case for diagnosis, 81
Epidermolysis bullosa dystrophica, 85

Levitt, L. M.
Idiopathic hyperlipemia with secondary xanthomatosis: report of case, *434

Lewis, H. M.
Progesterone therapy of acne: clinical evaluation, *562

Lichen
corneus hypertrophicus [Hyman & Erger], *588
obtusus: See Lichen, corneus hypertrophicus
ocreaformis: See Lichen, corneus hypertrophicus
planopilaris: case for diagnosis [Ballin], 240

Lichen—Continued
planus, hypertrophic, in West African Negroes [Clarke], 314
ruber moniliformis [Shaffer & Sauter], 373
sclerosus et atrophicus [Ebert & Yaffe], 654; [Rothman & Farney-Davies], 653
sclerosus et atrophicus and related disorders [Laymon], *620
scrofulosorum [Wechsler], 508
simplex chronicus and its variants [Shaffer & Beerman], *340

Light
urticaria solare (4,200 to 4,900 A.) [Kesten], 221

Lipton, M.
Allergic stomatitis due to "baxin" in dentifrice, *640

Liver
cirrhosis: melanin pigmentation and [Whitlock], *23

Lobitz, W. C., Jr.
Generalized miliaria rubra associated with abnormal vitamin A metabolism, *411

Loewenthal, K.
Tinea barbae of kerion type produced by Trichophyton purpureum: report of case, *194

Lorincz, A. L.
Chronic porphyria (tardive congenital), 102

Loveman, A. B.
Acne necrotica: relation to acne necrotica miliaris and response to penicillin and other antibiotics, *464

Luddecke, H.
Oral administration of procaine with ascorbic acid, with special reference to therapy of pruritus, *9

Luikart, R., II
Bismuth putty in x-ray shielding: efficiency of material and advances in technic, *580

Lunsford, C. J.
Severe cystic acne vulgaris, 230
Urticaria from synapoidin® controlled by ethinyl estradiol, 224

Lupus
erythematosus, discoid, chronic: evaluation of chloramphenicol in treatment [Robinson], *565
erythematosus following burns from hydrochloric acid: case [Spencer], *215
erythematosus: systemic [Haserick], 88
erythematosus, systemic, chronic [Haserick], 89
vulgaris after treatment [Cornbleet & others], 648
vulgaris, treated by intralesional injections of calciferol [Russell], *676

Lymph Nodes
axillary: tuberculosis of [Wechsler], 508

Lymphoblastoma [Garb], 527

Lymphocytoma
cutis [Samitz & others], 803
tumidum of skin [Waisman & Olivetti], *761

Lymphogranuloma venereum: treatment [Robinson], *284

Maddin, S.
Results of topical application of cortisone in congenital syphilitic interstitial keratitis: preliminary report of 2 cases, *437

Magner, J. P.
Successful treatment of pemphigus with heparin, *320

Mal de Meleda
case for diagnosis [Walton], 520

Manson, R. C.
Successful treatment of pemphigus with heparin, *320

Mapharsen®: See Oxophenarsine Hydrochloride

Marcus, M. D.
Green nails: role of Candida (Syringospora, Monilia) and Pseudomonas aeruginosa, *499

Marmelszadt, W. L.
Case of diagnosis: persistent severe edema of upper and lower eyelids bilaterally with proptosis and ophthalmoplegia, 76

McCorriston, L. R.
Atrophia maculosa varioliformis cutis, *59

McCulloch, H.
Fixed drug eruption and epididymitis due to antipyrine, *198

McGinley, J.
Localized myxedema, 520

McLain, M. H.
Primary involvement of upper extremities in thromboangiitis obliterans, *352

Melanin: See also Pigmentation
melanosis cutis or Kaposi's idiopathic hemorrhagic sarcoma: case for diagnosis [Cole & Driver], 237

Melanoblastoma: See Melanoma

Melanoma
metastatic melanoblastoma [Omens & others], 656

Melanosis: See Melanin

Meyers, D. B.
Clinical studies in percutaneous absorption, *294

Michaelides, P.
Stryker frame in treatment of pemphigus, *642

Microsporum
audouini: anthropoid primate ringworm: type of infection in monkey and owner [Scully & Kligman], 72
audouini: coincident infection of human and anthropoid with [Scully & Kligman], *495
audouini: podophyllotoxin treatment of scalp infections due to [Young], *607
audouini: spontaneous cure of tinea capitis due to [Laur], *364
gypseum: occurrence of infections due to, in District of Columbia area [Trice & Shafer], *309

Miliaria
antihistaminic lotion for [Schultheis & Traub], *635
rubra, generalized, associated with abnormal vitamin A metabolism [Lobitz & Kierland], *411

Miller, A. J.
Capillary resistance tests, *449

Mitchell, G. H.
Results of treatment of acne vulgaris by intramuscular injections of vitamin A, *428

Mitchell, J. H.
Case for diagnosis: dermatitis herpetiformis? pemphigus? treated with progesterone, 91
Case of tinea capitis (audouini) with tinia ciliorum in boy of 8, 655

Molluscum
contagiosum, treated with aureomycin [Feiler], 246
contagiosum, solitary, in adults [Tobias], *208

Monilia: See Candida

Moniliasis
antibiotic sensitivity and [Reiches], *604

Montenegro Test: See Leishmaniasis

Montgomery, H.
Pigmented purpuric eruptions, *177
Squamous-cell epithelioma that simulates sarcoma, *149

Moore, M.
Green nails: role of Candida (Syringospora, Monilia) and Pseudomonas aeruginosa, *499

Morphea: See Scleroderma

Moschella, S. L.
Further clinical observations on seabather's eruption, *55

Murphy, E. L.
Folliculitis (?) due to food allergy, 530
Porokeratosis (Mibelli), 798

Murphy, W.
Acrokeratosis verruciformis, 235
Pemphigus vulgaris, 233
Periarteritis nodosa, 377

Musgrave, D.
Granuloma annulare, 94
Sclerosing hemangioma, 651

Mycosis
fungoides [Epstein], 225; [Garner], 69; [Ringrose], 522
fungoides: a reticuloendothelial neoplastic entity? [Cawley & others], *255
fungoides or reticulum cell sarcoma: case for diagnosis [Epstein & Belber], 226

Myxedema
localized [Epstein & others], 227; [McGinley], 520

Nadkarni, M. V.
Clinical studies in percutaneous absorption, 294

Nails
dystrophia unguium mediana canaliformis [Sweet], *61
green: role of Candida (Syringospora, Monilia) and Pseudomonas aeruginosa [Moore & Marcus], *499
onycholysis with pigmentation [Courville], 523

Neck
treatment of folliculitis keloidalis chronica nuchae (acne keloid) [Hollander], *639

Necrobiosis lipoidica diabeticorum [Ryan], 228

Neill, E. J.
Skin eruption due to chloramphenicol (chloromycetin®), *217

Neoplasms
is mycosis fungoides a reticuloendothelial neoplastic entity? [Cawley & others], 255

Nephrectomy
remission of dermatitis herpetiformis following [Doherty], 509

Netherton, E. W.
Case for diagnosis, 84
Pemphigus vulgaris—ACTH and cortisone therapy in pemphigus vulgaris, 374

Neuhauser, I.
Leiomyoma, 660

Neurodermatitis
diffuse, dry, treated with ACTH [Rothman & Farney-Davies], 98

Neurofibromatosis, [Laymon], 801

Neurosyphilis
use of aureomycin in case of osteoperiostitis of syphilis [Crowe & Johnson], *757

Neutropenia: See Granulocytopenia

Nevoxanthoendothelioma: See Xanthoma

Nevus
Case for Diagnosis (Lymphangiomatous Nevus?), [Ringrose & Ekblad], 521

Newman, B. A.
Pemphigus vegetans: involution with cortisone therapy, 105
Treatment of pyogenic dermatosis with topical chloramphenicol (chloromycetin®), *212

Nickel, W. R.
Herpes zoster treated with ACTH, 372

Nicotinic Acid: See Vitamins, B

Niedelman, M. L.
Sclerosing hemangioma type of nevoxanthoendothelioma in 5-month-old child, 73

Nose
transverse stripe at puberty [White], *791

Novy, F. G., Jr.
Foreign body granuloma due to protamine zinc insulin, 225

OBITUARIES
Cannon, A. Benson, 110
Davis, Will Charles, 666
Hazen, Henry Honeyman, 107
Hopkins, J. Gardner, 810

O'Leary, P. A.
Illustrations: editorial note, 793

Olivetti, R. G.
Lymphocytoma of skin: report of unusual case (lymphocytoma tumidum), *761

Omens, D.
Case for diagnosis, 650
Granuloma annulare, 94
Metastatic melanoblastoma, 656

Omens, H.
Case for diagnosis, 650
Granuloma annulare, 94
Metastatic melanoblastoma, 656

Onycholysis: See Nails

O'Rear, H. B.
Pyogenic infections of skin: etiologic factor in acute glomerulonephritis of children, *159

Orfuss, A. J.
Epidermolysis bullosa acquisita, 794
Nonsuppurative panniculitis and atopic dermatitis, 243

Osbourn, R. A.
Studies in histogenesis of epidermis, *700

Osteoma
multiple miliary of skin [Carney & Radcliffe], *483

Oxophenarsine Hydrochloride
in combination with repository penicillin products in treatment of experimental rabbit syphilis [Kolmer], *169

Palms
hyperhidrosis [Kern], 808
keratoderma palmaris? case for diagnosis [Walton], 520
keratosis punctata palmaris et plantaris [Scott & others], *301
palmar psoriasis [Samitz & Albom], *199

Panniculitis
nonsuppurative and atopic dermatitis [Orfuss], 243

Paraaminosalicylic Acid
report on patient with periarteritis nodosa treated with [Carrick & Vonder Heide], *359

Paste
water-removable [Beirne & Beirne], *370

Pearson, C. M.
Trial of some adenosine compounds in pruritus, *362

Peirce, J. D.
Dermatological problems among pharmaceutical workers, *667

Pemphigus
case for diagnosis [Mitchell], 91
familial benign, chronic, improved by aureomycin therapy [Erger], 232
familial benign, improved by aureomycin [Erger], 232
histopathologic study [Lever], *727
ocular [Drant & Finley], 381
Stryker frame in treatment [Michaelides & Reisch], *642
treated successfully with heparin [Magner & others], *320
treated with ACTH [Rubin], *196
treated with cortisone, ACTH, and testosterone propionate [Schmidt], 99
vegetans: involution with cortisone therapy [Newman & Feldman], 105
vulgaris [Chiaramonte], 525; [Chivington & others], 233
vulgaris, treated with ACTH (Andrews), 218
vulgaris, treated with ACTH and cortisone [Netherton], 374
vulgaris, treated with cortisone [Samitz & Wiggall], 379
vulgaris or erythematosus: case for diagnosis [Cannon], 218
vulgaris, extensive, treated with ACTH (Hopkins], 218

Penicillin
response of acne necrotica to [Stritzler & others], *464
"S-R" and procaine penicillin G in peanut oil with aluminum monostearate, alone or in combination with oxophenarsine hydrochloride (mapharsen®) or bismuth subsalicylate, in treatment of rabbit syphilis [Kolmer], *169
in treatment of chancroid [Robinson], *287
in treatment of gonorrhea [Robinson], *284
in treatment of granuloma inguinale [Robinson], *291
in treatment of lymphogranuloma venereum [Robinson], *289

Pensky, N.
Effects of podophyllum on basal-cell epitheliomas, *142

Peppercorn, B.
Acrokeratosis verruciformis, 235
Pemphigus vulgaris, 233
Periarteritis nodosa, 377

Pepple, A.
Successful treatment of pemphigus with heparin, *320

Perazil® (chlorcyclizine hydrochloride): See Histamine, antagonists

Periarteritis
nodosa [Chivington & others], 377; [Sickley], 249
nodosa: report on patient treated with paraaminosalicylic acid [Carrick & Vonder Heide], *359

Perifolliculitis Capitis: See Scalp

Persky, B. P.
Multiple idiopathic hemorrhagic sarcoma of Kaposi, 83

Peyronie's Disease
case for diagnosis [Chiaramonte], 526

Piedra: See Hair, diseases

Pigmentation
chloasma, treated with monobenzyl ether of hydroquinone [Fisher], 645
Hyperpigmentation of undetermined origin [Shaffer], 373
incontinentia pigmenti [Carney], 126
melanin, and hepatic disease [Whitlock], *23
pigmented purpuric eruptions [Randall & others], *177
Schamberg's disease (progressive pigmentary dermatosis) [Schamberg], 517

Pituitary Preparations: See also Corticotropin
synapoidin®: urticaria from, controlled by ethinyl estradiol [Lunsford & Kinsell], 224

Podophyllum
effects on basal-cell epitheliomas [Sims & Pensky], 142
infiltrating ulcerating basal-cell epithelioma treated with podophyllin [Wolf], 245
podophyllotoxin treatment of Microsporum audouini scalp infections [Young], *607

Porokeratosis: See Keratosis

Porphyria: See Porphyrin and Porphyrin Compounds

Porphyrin and Porphyrin Compounds
chronic porphyria (tardive congenital) [Rothman & others], 102

Preston, R. H.
Sinus tract of dental origin, *637
Use of hypospray® in dermatology, *327

Prizes: See Fellowships

Procaine
hydrochloride: with ascorbic acid, oral administration [Luddecke], *9

Progesterone
therapy of acne [Lewis & others], *562
therapy of dermatitis (?) or pemphigus (?) [Mitchell], 91

Prurigo
Nodularis? insect bite reaction? case for diagnosis [Vaughan], 663

Pruritus
genitocrural, from oral aureomycin [Reiches & Webb], *63
psychocutaneous aspects of persistent pruritus and excessive excoriation, [Seitz], *136
treatment: chlorcyclizine hydrochloride ointment in pruritic dermatoses [Ayres & Ayres], *207
treatment: oral administration of procaine with ascorbic acid [Luddecke], *9
treatment: trial of some adenosine compounds [Pearson & Fromer], *362

Pseudomonas
aeruginosa: role in green nails [Moore & Marcus], *499

Pseudoxanthoma: See Xanthoma

Psoriasis
exfoliative, with arthritis [Sauer], 511
palmar [Samitz & Albom], *199
pustular: treatment with cortisone [Wolf & Sauer], *214
vulgaris: treated with ACTH (Falk & Hetreed), 99

Purpura
annularis telangiectodes (Majocchi)? angioma serpiginosum (Hutchinson's infectious angioma)? [Sulzberger & others], 794
annularis telangiectodes: pigmented purpuric eruptions [Randall & others], *177
progressive pigmented purpuric disease: case for diagnosis [Cole], 661

Pyoderma
recurrent, and gingivitis associated with periodic cyclic neutropenia [Becker & Coventry], 799
treatment of superficial pyodermas in children [Strauss & Baldridge], *211

Radcliffe, C. E.
Multiple miliary osteomas of skin, *483

Radiation: See also X-Rays
physiological and chemical changes in radiation injuries [Jung], *555

Randall, S. J.
Pigmented purpuric eruptions, *177

Rauschkolb, J. E.
Acrokeratosis verruciformis, 235
Pemphigus vulgaris, 233

Rawls, W. B.
Chemical analysis of intact skin by reflectance spectrophotometry, *533

Reiches, A. J.
Antibiotic sensitivity and moniliasis, *604
Eczematous reactions to kwell® (gamma benzene hexachloride), *209
Genitocrural pruritus from oral aureomycin, *63

Rein, R. L.
Tinea barbae of kerion type produced by Trichophyton purpureum, *194

Reisch, M.
Stryker frame in treatment of pemphigus, *642

Reiter's Syndrome
keratoderma blennorrhagica vs. [Ballien], 375

Ringrose, E.
Case for diagnosis (lymphangiomatous nevus?), 521
Mycosis fungoides, 522

Ringworm
anthropoid primate: type of Microsporum audouini infection in monkey and owner [Scully & Kligman], 72
tinea barbae of kerion type produced by Trichophyton purpureum [Lowenthal & Rein], *194
tinea capitis: evaluation of new drug for topical therapy [Edelson & others], *444
tinea capitis, due to Microsporon audouini: spontaneous cure [Laur], *364
tinea capitis (audouini) with tinea ciliorum in boy of 8 [Mitchell & Goodwin], 655

Roberts, I. S.
Chemical analysis of intact skin by reflectance spectrophotometry, *533

Robinson, H. M.
Evaluation of chloramphenicol in treatment of chronic discoid lupus erythematosus, *565

Robinson H. M., Jr.
Alopecia areata occurring in 2 brothers and 2 sisters, *204
Treatment of granuloma inguinale, lymphogranuloma venereum, chancroid, and gonorrhea, *284

Rockwell, E.
Prevention of hypersensitivity reaction to drug with simultaneous administration of drug and cortone,® *644

Rockwell, E. M.
Simultaneous condylomata acuminata and condylomata lata: report of case, *205

Ronchese, F.
Annular sarcoidosis, treated with cortisone, 806

Rosenbaum, E. M.
Trichophyton sulfureum infection of scalp with multiple small-kerion formation, 242

Rostenberg, A., Jr.
Etiologic and immunologic concepts regarding sarcoidosis, *385

Rothman, S.
Chronic porphyria (tardive congenital), 102
Diffuse, dry neurodermatitis treated with ACTH, 98
Lichen sclerosus et atrophicus, 653

Roys, H. C.
Atrophia maculosa varioliformis cutis, *59

Rubber
contact dermatitis due to [Fisher], 797

Rubin, A.
Case of pemphigus treated with ACTH, *196

Russell, B.
Treatment of lupus vulgaris by intralesional injections of calciferol: its use in localized, recurrent, or refractory cases, *676

Rusten, E. M.
Necrobiosis lipoidica diabeticorum, 801

Ryan, B. F.
Necrobiosis lipoidica diabeticorum, 228

Samitz, M. H.
Lymphocytoma cutis, 803
Palmar psoriasis, *199

Samitz, M. H.—Continued
Pemphigus vulgaris—cortisone therapy, 379
Pseudoxanthoma elasticum, 803

Sandler, I. L.
Effective application of banthine® in dermatology, *431

Sarcoid
or tuberculosis cutis [Omens & others], 95
Spiegler-Fendt [Sobel], 518

Sarcoidosis
[Webster & others], 658
annular, treated with cortisone [Ronchese], 806
etiologic and immunologic concepts [Rostenberg], *385
of left breast region [Cornbleet & others], 100

Sarcoma
multiple idiopathic hemorrhagic, of Kaposi [Farber], 521; [Persky], 83
multiple idiopathic hemorrhagic (Kaposi) or melanosis cutis [Cole & Driver], 237
reticulum-cell [Combes], 519
reticulum cell, or mycosis fungoides: case for diagnosis [Epstein & Belber], 226

Sauer, G.
Dermatitis herpetiformis (atypical) treated with ACTH [Wilson], 238
Exfoliative psoriasis with arthritis, 511
Treatment of recurrent pustular eruptions ("pustular psoriasis") with cortisone, *214

Sauter, S. H.
Lichen ruber moniliformis, 373

Sawicky, H. H.
Granuloma annulare: dissemination following administration of calciferol, *58

Scalp
Microsporum audouini infections: podophyllotoxin treatment of [Young], *607
perifolliculitis capitis abscedens et suffodiens with rheumatoid arthritis [Wasserman], *787
trichoptilosis or fragilitas crinium [Ceder], 802

Schamberg's Disease: See Dermatitis, progressive pigmentary,

Schiff, B. L.
Acne keloidalis, 805
Contact dermatitis caused by bamboo, *66

Schmidt, F. R.
Pemphigus treated with cortisone, ACTH, and testosterone propionate, 99

Schmidt, O. E. L.
Medical tattooing: easily constructed electric machine [Schmidt], *210

Scholtz, J. R.
Vitiligo in (apparent) dermatomal distribution, *366

Schonberg, I. L.
Congenital ichthyosiform erythroderma, 79

Schultheis, D., Jr.
Antihistaminic lotion for miliaria, *635

Schupbach, H. J.
Cortisone in treatment of recurrent erythema multiforme, *783

Scleroderma
cortisone and corticotropin (ACTH) in treatment [Kierland & Hines], *549
improved with cortisone: case for diagnosis [Silverman], 524
morphea in axilla [Laymon], 800

Sclerosis
tuberous: with obstruction of aqueduct and internal hydrocephalus with collagenous plaques in 5-month-old boy [Twining & Burgoon], 71

Scott, M. J.
Keratosis punctata palmaris et plantaris, *301
Piedra: report of case, *767

Scully, J. P.
Anthropoid primate ringworm: type of Microsporum audouini infection in monkey and owner, 72
Coincident infection of human and anthropoid with Microsporum audouini: report of case, *495
Papulonecrotic tuberculid, 74

Seitz, P. F. D.
psychocutaneous aspects of persistent pruritus and excessive excoriation, *136

Selenium
disulfide: seborrheic dermatitis treated with shampoo containing [Hubbard], *41

Senear-Usher Syndrome
case for diagnosis [Silverman], 525

Sensitization
antibiotic sensitivity and moniliasis [Reiches], *604
histoplasmin sensitivity in Panama Canal Zone [Tucker], *713
prevention of hypersensitivity reaction to drug with simultaneous administration of drug and cortone® [Goldman & Rockwell], *644
ragweed dermatitis successfully treated with oral hyposensitization [Fisher], 647

Shafer, J. C.
Occurrence of Microsporum gypseum (M. fulvum) infections in District of Columbia area: report of 6 cases, *309

Shaffer, B.
Lichen simplex chronicus and its variants: discussion of certain psychodynamic mechanisms and clinical and histopathologic correlations, *340

Shaffer, L. W.
Hyperpigmentation of undetermined origin, 373
lichen ruber moniliformis, 373

Sheard, C.
Impetigo herpetiformis treated with aureomycin, *64

Sickley, J. F.
Case for diagnosis, 650
Lupus vulgaris after treatment, 648
Periarteritis nodosa, 249
Sarcoidosis, 658

Silverman, M.
Case for diagnosis: dermatomyositis improved with cortisone, 524
Case for diagnosis: scleroderma improved with cortisone, 524
Case for diagnosis: Senear-Usher syndrome? 525

Sims, C. F.
Effects of podophyllum on basal-cell epitheliomas, *142

Simuangco, S.
Keratosis punctata palmaris et plantaris, *301

Sinus tract of dental origin [Jillson & Preston], *637

Skin
lymphocytoma of [Waisman & Olivetti], *761
studies in histogenesis of epidermis [Eichenlaub & Osbourn], *700
transplantation in extensive vitiligo [Spencer], 514

Slepyan, A. H.
Cysteine as local protective to human skin against x-rays, *425

Slinger, W. N.
Treatment of seborrheic dermatitis with shampoo containing selenium disulfide, *41

Snyder, W.
Terramycin therapy of eczema vaccinatum: report of case, *789

Sobel, N.
Psoriatic erythroderma with arthritis, treated with corticotropin (ACTH), 513
Spiegler-Fendt sarcoid, 518

Sokoloff, O.
Clinical evaluation of "diphenylpyraline" as antifungal agent, *754

Societies
American Board of Dermatology and Syphilology: specialists certified by, 252
American Dermatological Association, Inc.: annual prize essay contest, 253
Japanese Dermatological Association; annual meeting, 253
Tenth International Congress of Dermatology: applications to read papers at, 253

Society Transactions
Bronx Dermatological Society, 238, 526, 645, 794
Brooklyn Dermatological Society, 232, 524
Central States Dermatological Association, 77
Chicago Dermatological Society, 91, 247, 648
Cleveland Dermatological Society, 233, 374, 531
Detroit Dermatological Society, 373, 523
Los Angeles Dermatological Society, 105
Manhattan Dermatologic Society, 104, 516
Metropolitan Dermatological Society of Los Angeles, 75, 530
Minnesota Dermatologic Society, 799
New York Academy of Medicine, Section of Dermatology and Syphilis, 218, 508

Society Transactions—Continued
Pacific Dermatological Association, 224
Philadelphia Dermatological Society, 69, 238, 378, 803
Rhode Island Dermatological Society, 805
San Francisco Dermatological Society, 520, 661

Soles
keratosis punctata palmaris et plantaris [Scott & others], *301

Spectrophotometry: See Spectrum Analysis

Spectrum Analysis
chemical analysis of intact skin by reflectance spectrophotometry [Goldzieher & others], *533

Spencer, G. R.
Lupus erythematosus following burns from hydrochloric acid: report of case, *215
Skin transplantation in extensive vitiligo, 514

Spencer, M. C.
Foreign body granuloma, sarcoid-like, 652
Xanthoma diabeticorum, 92

Spiller, W.
Congenital ichthyosiform erythroderma, 79
Congenital ichthyosiform erythroderma in man aged 30, 80
Epidermolysis bullosa, 85

Spitzer, E.
Ferdinand von Hebra: in commemoration of his appointment 100 years ago as professor of dermatology at University of Vienna, *282

Standard Nomenclature of Diseases and Operations: fourth edition, 809

Stewart, J. J.
Hyperkeratosis congenita generalisata cum cornubus, 89
Sturge-Weber syndrome: syringoma, 81

Stiles, F.
Benign cystic epithelioma: therapeutic suggestions? 374

Stomatitis
allergic, due to "baxin" in dentifrice [Fisher & [Lipton], *640
vesiculoerosive, treated with aureomycin troches [Fisher & Leider], *164

Stoops, C. W.
Preparation of slush, *641

Strauss, R. E.
Treatment of superficial pyodermas in children, *211

Streptomycin
chancroid treated with streptomycin and dihydrostreptomycin [Robinson], *288
erythema induratum treated with [Witherspoon & Hamilton], *49
gonorrhea treated with [Robinson], *285
granuloma inguinale treated with [Robinson], *291
lymphogranuloma venereum treated with streptomycin and dihydrostreptomycin [Robinson], *290

Stritzler, C.
Acne necrotica: relation to acne necrotica miliaris and response to penicillin and other antibiotics, *464

Sturge-Weber Syndrome: See Angioma

Sulfone Compounds
sulfoxone (diasone®) sodium for dermatitis herpetiformis [Cornbleet], *684

Sulfoxone Sodium: See Sulfone Compounds

Sulzberger, M. B.
Case for diagnosis: angioma serpiginosum (Hutchinson's infectious angioma?); purpura annularis telangiectodes (Majocchi?), 794
Cortisone acetate administered orally in dermatologic therapy, *573

Sweat Glands
hyperhidrosis of palms [Kern], 808

Sweet, R. D.
Dystrophia unguium mediana canaliformis, *61

Syphilis: See also Neurosyphilis
experimental: treatment with penicillin "S-R" and procaine penicillin G in peanut oil with aluminum monostearate in combination with oxophenarsine hydrochloride (mapharsen®) or bismuth subsalicylate [Kolmer], *169
history: antiquity of syphilis with some observations on its treatment through the ages [Cole], *12

Syphilis—Continued
use of aureomycin in case of osteoperiostitis of [Crowe & Johnson], *757

Syringoma
Sturge-Weber syndrome; syringoma, 81

Syringospora: See Candida

Tattooing
medical: easily constructed electric machine [Schmidt], *210

Templeton, H. J.
Severe cystic acne vulgaris, 230

Terramycin
chancroid treated with [Robinson], *288
eczema vaccinatum treated with [Snyder], *789
gonorrhea treated with [Robinson], *285
granuloma inguinale treated with [Robinson], *292
lymphogranuloma venereum treated with [Robinson], *290

Testosterone
propionate: pemphigus treated with [Schmidt], 99

Thompson, R. G.
Hyperkeratosis congenita generalisata cum cornubus, 89
Sturge-Weber syndrome: syringoma, 81
Use of hypospray® in dermatology, *327

Thromboangiitis Obliterans
primary involvement of upper extremities in [Farber & McLain], *352

Tillotson, F. W.
Metastatic cutaneous carcinoma from breast: clinical and pathologic study of case showing 3 types of lesions, *774

Tinea: See Ringworm

Tobias, N.
Solitary molluscum contagiosum in adults, *208

Traub, E. F.
Antihistaminic lotion for miliaria, *635

Trice, E. R.
Occurrence of Microsporum gypseum (M. fulvum) infections in District of Columbia area: report of 6 cases, *309

Trichophyton
purpureum: tinea barbae of kerion type produced by [Loewenthal & Rein], *194
sulfureum: infection of scalp, with multiple small-kerion formation [Franks & Rosenbaum], 242

Trichoptilosis: See Hair, diseases

Trimethyl Cetyl Ammonium Pentachlorphenate
evaluation for topical therapy of tinea capitis [Edelson & others], *444

Tuberculid
papulonecrotic [Scully], 74; [Wechsler], 508

Tuberculosis cutis, or sarcoid [Omens & others], 95

Tucker, H. A.
Histoplasmin sensitivity in Panama Canal Zone: correlated clinicopathologic study of 1,000 patients, with speculations as to present status of Histoplasma capsulatum on Isthmus of Panama, *713

Twining, H. E.
Leukemia Cutis? 70
Tuberous sclerosis with obstruction of aqueduct and internal hydrocephalus with collagenous plaques in 5-month-old boy, 71

Ulceration
chrome: of skin, unusual sequela [Edmundson], *371

Ulerythema ophryogenes: See Keratosis, follicularis

Underwood, L. J.
Squamous-cell epithelioma that simulates sarcoma, *149

Universities
Washington University School of Medicine, fellowship in dermatology, 384

Urticaria
and dermatitis venenata: treatment with corticotropin (ACTH) and cortisone [Eckblad], *628
solare: See Light
from synapoldin® controlled by ethinyl estradiol [Lunsford & Kinsell], 224

Usndek, H. E.
Skin eruption due to chloramphenicol (chloromycetin®), *217

Vaccinia: See Eczema, vaccinatum

Vaughan, S.
Case for diagnosis (insect bite reaction? prurigo nodularis?), 663

Vitamins
A: generalized miliaria rubra associated with abnormal metabolism [Lobitz & Kierland], *411
A: results of treatment of acne vulgaris by intramuscular injections [Mitchell & Butterworth], *428
B: response of dermatitis herpetiformis to nicotinic acid [Johnson & Binkley], 87
C: oral administration of ascorbic acid with procaine hydrochloride, with special reference to therapy of pruritus [Luddecke], *9
D: dissemination of granuloma annulare following administration of calciferol [Sawicky & Kanof], *58
D: treatment of lupus vulgaris by intralesional injections of calciferol [Russell], *676

Vitiligo
in (apparent) dermatomal distribution [Scholtz & Williamson], *366
extensive: skin transplantation in [Spencer], 514

Vonder Heide, E. C.
Periarteritis nodosa: report on patient treated with paraaminosalicylic acid, *359

Vukas, A.
Erythroderma ichthyosiforme congenitum: epidermotectoscopical description of case [Vukas], *36

Waisman, M.
Lymphocytoma of skin; report of unusual case (lymphocytoma tumidum), *761

Walton, R.
Case for diagnosis: keratoderma palmaris? mal de Meleda? [Walton], 520

Wasserman, E.
Perifolliculitis capitis abscedens et suffodiens with rheumatoid arthritis: report of case, *787

Webb, P. K.
Genitocrural pruritus from oral aureomycin, *63

Webster, J.
Sarcoidosis, 658

Wechsler, H. L.
Tuberculosis of axillary lymph node; phlyctenular keratitis; lichen scrofulosorum; papulonecrotic tuberculid; erythema induratum, 508

Weinstein, S.
Localized myxedema, 227

Welsh, A. L.
Fixed drug eruption from aureomycin: report of 2 cases, *356

White, S. J.
Transverse nasal stripe, *791

Whitlock, F. A.
Melanin pigmentation and hepatic disease, *23

Wiggall, R. H.
Pemphigus vulgaris—cortisone therapy, 379

Wile, U. J.
Cutaneous medicine in medical curriculum, *119

Williamson, C.
Vitiligo in (apparent) dermatomal distribution, *366

Wilson, J. W.
Bismuth putty in x-ray shielding: efficiency of material and advances in technic, *580

Witherspoon, F. G.
Streptomycin therapy of erythema induratum, *49

Witten, V. H.
Cortisone acetate administered orally in dermatologic therapy, *573

Wolf, C.
Infiltrating ulcerating basal-cell epithelioma treated with podophyllin, 245

Wolf, J.
Contact dermatitis (nickel), 104
Eosinophilic granuloma of skin, erythema-elevatum-diutinum type, 515
Keratosis pilaris; ulerythema ophryogenes, 104

Wolf, M.
Treatment of recurrent pustular eruptions ("pustular psoriasis") with cortisone, *214

Wright, C. S.
Acanthosis nigricans, 380
Xanthoma tuberosum, 378

Xanthoma
diabeticorum [Spencer], 92
idiopathic hyperlipemia with secondary xanthomatosis [Frank & Levitt], *434
Nevoxanthoendothelioma [Bloom], 516
nevoxanthoendothelioma: sclerosing hemangioma type in 5-month-old child [Niedelman & Bleier], 73
pseudoxanthoma elasticum [Samitz & others], 803
tuberosum [Wright & Jaffe], 378

Xanthomatosis: See under Xanthoma

X-Rays: See also Radiation
bismuth putty in x-ray shielding [Wilson & Luikart], *580
cysteine as local protective to human skin against [Slepyan & Cornbleet], *425
simple method of making x-ray shields for small ports [Davis & Davis], *369

Yaffe, B.
Lichen sclerosus et atrophicus, 654

Yaffe, S. N.
Cortisone acetate administered orally in dermatologic therapy, *573

Young, C. J.
Podophyllotoxin treatment of Microsporum audouini scalp infections, *607

Zakon, S. J.
Fox-Fordyce disease in male, 659
Occupational leucoderma from rubber dust and debris, *441
Ulerythema ophryogenes (Unna-Taenzer), *785

Zeligman, I.
Fixed drug eruption and epididymitis due to antipyrine, *198

Zopf, L. C.
Clinical studies in percutaneous absorption, *294